

G. AMPHRAY LABORATORIES

E-mail : info@amphray.com

Sambava Chambers, 4th Floor, Sir P. M. Road, Mumbai – 400 001, INDIA.

Web : www.amphray.com

CERTIFICATE OF ANALYSIS

PRODUCT NAME : **CRUDE IODINE PRILLS**
BATCH NUMBER : **123**

ITEM	RESULTS
DESCRIPTION	: GRAY-VIOLET PRILLS
ODOUR	: PUNGENT
ASSAY (I)	: 99.5 % - 100.5%
BROMIDES & CHLORIDES	: ≤ 0.005%
IRON	: ≤ 10 PPM
SULPHATES	: ≤ 75 PPM
NON-VOLATILE RESIDUES	: 0.010 % MAX
HEAVY METALS	: ≤ 10 PPM

Certified True Copy
For G. AMPHRAY LABORATORIES

AUTHORISED SIGNATORY

G. AMPHRAY LABORATORIES

E-mail : info@amphray.com

Sambava Chambers, 4th Floor, Sir P. M. Road, Mumbai – 400 001, INDIA.

Web : www.amphray.com

CERTIFICATE OF ANALYSIS

PRODUCT NAME : **CRUDE IODINE PRILLS**
BATCH NUMBER : **123**

ITEM	RESULTS
DESCRIPTION	GRAYISH VIOLET GRANULES WITH METALLIC SHEEN. IT VOLATIZES SLOWLY AT ROOM TEMPERATURE
SOLUBILITY IODIDES.	VERY SOLUBLE IN CONCENTRATED SOLUTIONS OF SOLUBLE IN ALCOHOL.
IDENTIFICATION	[C]: COMPLIES [D]: COMPLIES
BROMIDES & CHLORIDES	COMPLIES [NMT: 250 PPM]
NON-VOLATILE SUBSTANCES	COMPLIES [NMT: 0.10%]
ASSAY (I)	COMPLIES [LIMIT: 99.50 % - 100.50%]

REPORT: THE ABOVE BATCH COMPLIES WITH THE PRESCRIBED STANDARDS OF QUALITY AS PER BP 2008

Certified True Copy
For G. AMPHRAY LABORATORIES

AUTHORISED SIGNATORY

G. AMPHRAY LABORATORIES

E-mail : info@amphray.com

Sambava Chambers, 4th Floor, Sir P. M. Road, Mumbai – 400 001, INDIA.

Web : www.amphray.com

CERTIFICATE OF ANALYSIS

PRODUCT NAME : **CRUDE IODINE PRILLS**

BATCH NUMBER : **123**

ITEM	RESULTS
DESCRIPTION	HEAVY GRAYISH BLACK GRANULES HAVING A METALLIC LUSTRE & A CHARACTERISTIC ODOUR
SOLUBILITY	FREELY SOLUBLE IN CARBON DISULFIDE, IN CHLOROFORM, IN CARBON TETRACHLORIDE & IN ETHER, SOLUBLE IN ALCOHOL & IN SOLUTIONS OF IODIDES
IDENTIFICATION	[A]: COMPLIES [B]: COMPLIES
LIMIT OF NON-VOLATILE SUBSTANCES	COMPLIES [NMT: 0.050%]
CHLORIDES & BROMIDE	COMPLIES [NMT: 0.028% AS CHLORIDE]
ASSAY (I)	COMPLIES [LIMIT: 99.80 % - 100.50%]

REPORT: THE ABOVE BATCH COMPLIES WITH THE PRESCRIBED STANDARDS OF QUALITY AS PER USP 31

Certified True Copy
For G. AMPHRAY LABORATORIES

AUTHORISED SIGNATORY