

G. AMPHRAY LABORATORIES

E-mail : info@amphray.com

Sambava Chambers, 4th Floor, Sir P. M. Road, Mumbai – 400 001, INDIA.

Web : www.amphray.com

CERTIFICATE OF ANALYSIS

Name of Product	:	METHYL IODIDE	Date of Analysis :	13.11.2007
Batch No.	:	E238K02	Date of Exp. :	October, 2010
Date of Mfg.	:	November, 2007		
Batch Qty.	:	1200 KGS		

RESULTS OF ANALYSIS

DESCRIPTION	:	Clear, colourless, transparent liquid.
SOLUBILITY	:	Slightly Soluble in water, Miscible with alcohol, Ether and Hexane.
WATER	:	0.07 % (NMT 0.2 %)
WEIGHT / ML AT 20° C	:	2.2834 g (2.27 to 2.285 GM)
RESIDUE ON EVAPORATION	:	0.007% (NMT 0.01%)
ASSAY	:	99.79 % (NLT 99%)
REPORT	:	THE SAMPLE COMPLIES WITH PRESCRIBED STANDARDS OF QUALITY WITH RESPECT TO THE ABOVE TESTS.

Certified True Copy
For G. AMPHRAY LABORATORIES

AUTHORISED SIGNATORY